



Printing date: 07.08.2024

Revision: 31.07.2024

SEC	TION 01: Identification of the substance/mixture and of the company/undertaking
•	1.1 Product identifier
	Trade name: STAUF SMP 950
•	Article number: 125120
	Product Group 1-component SMP wood flooring adhesive
•	1.2 Relevant identified uses of the substance or mixture and uses advised against
	Product category PC1 Adhesives, sealants Application of the substance / the preparation Adhesives
•	1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: STAUF Klebstoffwerk GmbH Oberhausener Strasse 1 57234 Wilnsdorf, Germany +49-(0)2739-301-0 +49-(0)2739-301-200 1.4 Further information obtainable from: quality management QS@stauf.de
	1.5 Emergency telephone number: CARECHEM24- EU: +44 1235 239670 CARECHEM24 International, +44 1865 407333
EC	TION 02: Hazards identification
	2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Void
•	2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms
•	Void Signal word Void
•	Hazard statements EUH208 Contains trimethoxyvinylsilane. May produce an allergic
	reaction. EUH210 Safety data sheet available on request. 2.3 Other hazards
•	Results of PBT and vPvB assessment PBT:
•	Not applicable. vPvB:
GB -	Not applicable.



according to 1907/2006/EC, Article 31

Revision: 31.07.2024

	STAUF SMP 950
	(Contd. of page
SECTION	03: Composition/information on ingredients
• 3.2 Mixt	tures
 Descrip 	otion:
Mixture	of substances listed below with nonhazardous additions.
. Dongor	aus companants:
CAS Num	ous components: %
2768-02-7	
2700-02-7	EC number: 220-449-8
	Record number 01-2119513215-52-0003
	🚸 Flam. Liq. 3 - H226; 🚸 Acute Tox.
	4 - H332, Skin Sens. 1 - H317;
	Flam. Liq. 3; H226: C >= 3 %, Skin Sens. 1;
	H317: $C \ge 1 \%$
Additio	nal information:
	wording of the listed risk phrases refer to section 16.
SECTION	04: First aid measures
• 4.1 Des	cription of first aid measures
 General 	
	Information:
No spec	il information: cial measures required.
 After in 	cial measures required. Inalation:
 After in Supply f 	cial measures required. Inalation: fresh air; consult doctor in case of complaints.
 After in Supply f After sk 	cial measures required. Inhalation: fresh air; consult doctor in case of complaints. kin contact:
 After in Supply f After sk Wash w 	cial measures required. halation: fresh air; consult doctor in case of complaints. kin contact: vith water and soap.
 After in Supply f After sk Wash w General 	cial measures required. halation: fresh air; consult doctor in case of complaints. kin contact: vith water and soap. Ily the product does not irritate the skin.
 After in Supply f After sk Wash w General After ey Rinse op 	cial measures required. halation: fresh air; consult doctor in case of complaints. kin contact: vith water and soap. Ily the product does not irritate the skin. ye contact: uppened eye for several minutes under running water. Then consult a doctor.
 After in Supply f After sk Wash w General After ey Rinse og Remover 	cial measures required. halation: fresh air; consult doctor in case of complaints. kin contact: vith water and soap. Ily the product does not irritate the skin. ye contact: pened eye for several minutes under running water. Then consult a doctor. e contact lenses, if present and easy to do.
 After in Supply f After sk Wash w General After ey Rinse o Remove After sv 	cial measures required. halation: fresh air; consult doctor in case of complaints. kin contact: vith water and soap. Ily the product does not irritate the skin. ye contact: pened eye for several minutes under running water. Then consult a doctor. e contact lenses, if present and easy to do. wallowing:
 After in Supply f After sk Wash w General After ey Rinse of Remove After sy Do not i 	cial measures required. halation: fresh air; consult doctor in case of complaints. kin contact: vith water and soap. Ily the product does not irritate the skin. ye contact: pened eye for several minutes under running water. Then consult a doctor. e contact lenses, if present and easy to do. wallowing: induce vomiting; call for medical help immediately.
 After in Supply f After sk Wash w General After ey Rinse o Remove After sy Do not i Rinse th 4.2 Mos 	cial measures required. halation: fresh air; consult doctor in case of complaints. kin contact: with water and soap. Ily the product does not irritate the skin. ye contact: pened eye for several minutes under running water. Then consult a doctor. e contact lenses, if present and easy to do. wallowing: induce vomiting; call for medical help immediately. he mouth with water. st important symptoms and effects, both acute and delayed
 After in Supply f After sk Wash w General After ey Rinse of Remove After sy Do not i Rinse th 4.2 Mos No furth 	cial measures required. halation: fresh air; consult doctor in case of complaints. kin contact: with water and soap. Ily the product does not irritate the skin. ye contact: pened eye for several minutes under running water. Then consult a doctor. e contact lenses, if present and easy to do. wallowing: induce vomiting; call for medical help immediately. he mouth with water. st important symptoms and effects, both acute and delayed her relevant information available.
 After in Supply f After sk Wash w General After ey Rinse of Remove After sy Do not i Rinse th 4.2 Mos No furth 4.3 Indi 	cial measures required. halation: fresh air; consult doctor in case of complaints. kin contact: with water and soap. Ily the product does not irritate the skin. ye contact: uppened eye for several minutes under running water. Then consult a doctor. e contact lenses, if present and easy to do. wallowing: induce vomiting; call for medical help immediately. he mouth with water. st important symptoms and effects, both acute and delayed her relevant information available. iccation of any immediate medical attention and special treatment needed
 After in Supply f After sk Wash w General After ey Rinse of Remove After sy Do not i Rinse th 4.2 Mos No furth 4.3 Indi 	cial measures required. halation: fresh air; consult doctor in case of complaints. kin contact: with water and soap. Ily the product does not irritate the skin. ye contact: pened eye for several minutes under running water. Then consult a doctor. e contact lenses, if present and easy to do. wallowing: induce vomiting; call for medical help immediately. he mouth with water. st important symptoms and effects, both acute and delayed her relevant information available.
 After in Supply f After sk Wash w General After ey Rinse of Remove After sy Do not i Rinse th 4.2 Mos No furth 4.3 Indi 	cial measures required. halation: fresh air; consult doctor in case of complaints. kin contact: with water and soap. Ily the product does not irritate the skin. ye contact: uppened eye for several minutes under running water. Then consult a doctor. e contact lenses, if present and easy to do. wallowing: induce vomiting; call for medical help immediately. he mouth with water. st important symptoms and effects, both acute and delayed her relevant information available. iccation of any immediate medical attention and special treatment needed
 After in Supply f After sk Wash w General After ey Rinse of Remove After sv Do not i Rinse th 4.2 Mos No furth 4.3 Indi No furth 	cial measures required. halation: fresh air; consult doctor in case of complaints. kin contact: with water and soap. Ily the product does not irritate the skin. ye contact: uppened eye for several minutes under running water. Then consult a doctor. e contact lenses, if present and easy to do. wallowing: induce vomiting; call for medical help immediately. he mouth with water. st important symptoms and effects, both acute and delayed her relevant information available. ication of any immediate medical attention and special treatment needed her relevant information available.
 After in Supply f After sk Wash w General After ey Rinse of Remove After sv Do not i Rinse th 4.2 Mos No furth 4.3 Indi No furth 	cial measures required. halation: fresh air; consult doctor in case of complaints. kin contact: with water and soap. Ily the product does not irritate the skin. ye contact: uppened eye for several minutes under running water. Then consult a doctor. e contact lenses, if present and easy to do. wallowing: induce vomiting; call for medical help immediately. he mouth with water. st important symptoms and effects, both acute and delayed her relevant information available. iccation of any immediate medical attention and special treatment needed
 After in Supply f After sk Wash w General After ey Rinse of Remove After sy Do not i Rinse th 4.2 Mos No furth 4.3 Indi No furth 5.1 Exti 	cial measures required. halation: fresh air; consult doctor in case of complaints. kin contact: with water and soap. Ily the product does not irritate the skin. ye contact: ppened eye for several minutes under running water. Then consult a doctor. e contact lenses, if present and easy to do. wallowing: induce vomiting; call for medical help immediately. he mouth with water. st important symptoms and effects, both acute and delayed her relevant information available. ication of any immediate medical attention and special treatment needed her relevant information available. 05: Firefighting measures
 After in Supply f After sk Wash w General After ey Rinse of Remove After sy Do not i Rinse th 4.2 Mos No furth 4.3 Indi No furth 5.1 Exti Suitable 	cial measures required. halation: fresh air; consult doctor in case of complaints. kin contact: with water and soap. Ily the product does not irritate the skin. ye contact: uppened eye for several minutes under running water. Then consult a doctor. e contact lenses, if present and easy to do. wallowing: induce vomiting; call for medical help immediately. he mouth with water. st important symptoms and effects, both acute and delayed her relevant information available. iccation of any immediate medical attention and special treatment needed her relevant information available. iccation of any immediate medical attention and special treatment needed her relevant information available. iccation gents: inguishing media e extinguishing agents:
 After in Supply f After sk Wash w General After ey Rinse of Remove After sy Do not i Rinse th 4.2 Mos No furth 4.3 Indi No furth 5.1 Exti Suitable CO2, pc 	cial measures required. halation: fresh air; consult doctor in case of complaints. kin contact: /ith water and soap. Ily the product does not irritate the skin. ye contact: uppened eye for several minutes under running water. Then consult a doctor. e contact lenses, if present and easy to do. wallowing: induce vomiting; call for medical help immediately. he mouth with water. st important symptoms and effects, both acute and delayed her relevant information available. ication of any immediate medical attention and special treatment needed her relevant information available. 05: Firefighting measures inguishing media e extinguishing agents: owder or water spray. Fight larger fires with water spray or alcohol resistant foam.
 After in Supply f After sk Wash w General After ey Rinse of Remove After sy Do not i Rinse th 4.2 Mos No furth 4.3 Indi No furth 5.1 Exti Suitable CO2, pc For safe 	cial measures required. halation: fresh air; consult doctor in case of complaints. kin contact: /ith water and soap. Ily the product does not irritate the skin. ye contact: upened eye for several minutes under running water. Then consult a doctor. e contact lenses, if present and easy to do. wallowing: induce vomiting; call for medical help immediately. he mouth with water. st important symptoms and effects, both acute and delayed her relevant information available. iccation of any immediate medical attention and special treatment needed her relevant information available. O5: Firefighting measures inguishing media e extinguishing agents: powder or water spray. Fight larger fires with water spray or alcohol resistant foam. ety reasons unsuitable extinguishing agents:
 After in Supply f After sk Wash w General After ey Rinse of Remove After sy Do not i Rinse th 4.2 Mos No furth 4.3 Indi No furth 5.1 Exti Suitable CO2, pc For safe Water w 	cial measures required. halation: fresh air; consult doctor in case of complaints. kin contact: vith water and soap. Ily the product does not irritate the skin. ye contact: pened eye for several minutes under running water. Then consult a doctor. e contact lenses, if present and easy to do. wallowing: induce vomiting; call for medical help immediately. he mouth with water. st important symptoms and effects, both acute and delayed her relevant information available. icction of any immediate medical attention and special treatment needed her relevant information available. 05: Firefighting measures inguishing media e extinguishing agents: owder or water spray. Fight larger fires with water spray or alcohol resistant foam. ety reasons unsuitable extinguishing agents: with full jet
 After in Supply f After sk Wash w General After ey Rinse of Remove After ey Do not i Rinse th 4.2 Mos No furth 4.3 Indi No furth 5.1 Exti Suitable CO2, pc For safe Water w 5.2 Spe Formatic 	cial measures required. thalation: fresh air; consult doctor in case of complaints. kin contact: with water and soap. Ily the product does not irritate the skin. ye contact: pened eye for several minutes under running water. Then consult a doctor. e contact lenses, if present and easy to do. wallowing: induce vomiting; call for medical help immediately. he mouth with water. st important symptoms and effects, both acute and delayed her relevant information available. ication of any immediate medical attention and special treatment needed her relevant information available. O5: Firefighting measures inguishing media e extinguishing agents: powder or water spray. Fight larger fires with water spray or alcohol resistant foam. ety reasons unsuitable extinguishing agents: with full jet brian lazards arising from the substance or mixture ion of toxic gases is possible during heating or in case of fire.
 After in Supply f After sk Wash w General After ey Rinse of Remove After ey Do not i Rinse th 4.2 Mos No furth 4.3 Indi No furth 5.1 Exti Suitable CO2, pc For safe Water w 5.2 Spe Formatic 5.3 Adv 	cial measures required. thalation: fresh air; consult doctor in case of complaints. kin contact: vith water and soap. Ily the product does not irritate the skin. ye contact: pened eye for several minutes under running water. Then consult a doctor. e contact lenses, if present and easy to do. wallowing: induce vomiting; call for medical help immediately. he mouth with water. st important symptoms and effects, both acute and delayed her relevant information available. ication of any immediate medical attention and special treatment needed her relevant information available. O5: Firefighting measures inguishing media e extinguishing agents: owder or water spray. Fight larger fires with water spray or alcohol resistant foam. ety reasons unsuitable extinguishing agents: with full jet cical hazards arising from the substance or mixture ion of toxic gases is possible during heating or in case of fire. vice for firefighters
 After in Supply f After sk Wash w General After ey Rinse of Remove After ey Do not i Rinse th 4.2 Mos No furth 4.3 Indi No furth 5.1 Exti Suitable CO2, pc For safe Water w 5.2 Spe Formatie 5.3 Adv Do not i 	cial measures required. thalation: fresh air; consult doctor in case of complaints. kin contact: with water and soap. IJy the product does not irritate the skin. ye contact: upened eye for several minutes under running water. Then consult a doctor. e contact lenses, if present and easy to do. wallowing: induce vomiting; call for medical help immediately. he mouth with water. st important symptoms and effects, both acute and delayed her relevant information available. iccation of any immediate medical attention and special treatment needed her relevant information available. O5: Firefighting measures inguishing media e extinguishing agents: owder or water spray. Fight larger fires with water spray or alcohol resistant foam. ety reasons unsuitable extinguishing agents: with full jet brief lazards arising from the substance or mixture ion of toxic gases is possible during heating or in case of fire. <i>icce for firefighters</i> inhale explosion gases or combustion gases.
 After in Supply f After sk Wash w General After ey Rinse of Remove After ey Do not i Rinse th 4.2 Mos No furth 4.3 Indi No furth 5.1 Exti Suitable CO2, pc For safe Water w 5.2 Spe Formatic 5.3 Adv Do not i Protecti 	cial measures required. halation: fresh air; consult doctor in case of complaints. kin contact: ith water and soap. Ily the product does not irritate the skin. ye contact: pened eye for several minutes under running water. Then consult a doctor. e contact lenses, if present and easy to do. wallowing: induce vomiting; call for medical help immediately. he mouth with water. st important symptoms and effects, both acute and delayed her relevant information available. ication of any immediate medical attention and special treatment needed her relevant information available. O5: Firefighting measures inguishing media e extinguishing agents: owder or water spray. Fight larger fires with water spray or alcohol resistant foam. ety reasons unsuitable extinguishing agents: with full jet coial hazards arising from the substance or mixture ion of toxic gases is possible during heating or in case of fire. vice for firefighters inhale explosion gases or combustion gases. tive equipment:
 After in Supply f After sk Wash w General After ey Rinse of Remove After ey Do not i Rinse th 4.2 Mos No furth 4.3 Indi No furth 5.1 Exti Suitable CO2, pc For safe Water w 5.2 Spe Formatic 5.3 Adv Do not i Protecti Wear se 	cial measures required. thalation: fresh air; consult doctor in case of complaints. kin contact: with water and soap. IJy the product does not irritate the skin. ye contact: upened eye for several minutes under running water. Then consult a doctor. e contact lenses, if present and easy to do. wallowing: induce vomiting; call for medical help immediately. he mouth with water. st important symptoms and effects, both acute and delayed her relevant information available. iccation of any immediate medical attention and special treatment needed her relevant information available. O5: Firefighting measures inguishing media e extinguishing agents: owder or water spray. Fight larger fires with water spray or alcohol resistant foam. ety reasons unsuitable extinguishing agents: with full jet brief lazards arising from the substance or mixture ion of toxic gases is possible during heating or in case of fire. <i>icce for firefighters</i> inhale explosion gases or combustion gases.



Bevision: 31.07.2024

(Contd. of page 2)

according to 1907/2006/EC, Article 31

Printing date: 07.08.2024

PRODUCT : STAUF SMP 950

SECTION 06: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- 6.2 Environmental precautions: Prevent seepage into sewage system, workpits and cellars. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 07: Handling and storage

- 7.1 Precautions for safe handling Use only in well ventilated areas. Avoid contact with the eyes and skin.
- Information about fire and explosion protection: No special measures required.
- No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed. Protect from heat and direct sunlight. Store in dry conditions.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 08: Exposure controls/personal protection

•	8.1	Control	parameters
---	-----	---------	------------

- Ingredients with limit values that require monitoring at the workplace The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work, use skin care products. Keep away from foodstuffs, beverages and feed. Avoid contact with the eves and skin.
- Respiratory protection: Not necessary if room is well-ventilated.
- · Protection of hands: After use of gloves apply skin-cleaning agents and skin cosmetics.
- Material of gloves Butyl rubber, BR Nitrile rubber, NBR Natural rubber, NR
- Penetration time of glove material
 The exact break through time has to be found out by the manufacturer of the protective gloves and
 has to be observed.

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date: 07.08.2024

PRODUCT : **STAUF SMP 950**

- · Eye/face protection Safety glasses
- · Body protection: Protective work clothing

SECTION 09: Physical and chemical properties 9.1 Information on basic physical and chemical properties **General Information** Appearance: Viscous Form: Colour: Light beige Odour: Characteristic Odaur thrashold Characteristic

Odour threshold:	Characteristic		
Important information on protection of health and environment, and on	safety.		
pН	Not determined.		
Boiling point or initial boiling point and boiling range	Undetermined.		
Flash point:	> 201 °C		
Flammability	Not applicable.		
Ignition temperature:	390 °C		
Decomposition temperature:	Not determined.		
Auto-ignition temperature:	Not determined.		
Lower and upper explosion limit			
Lower:	Not determined.		
Upper:	Not determined.		
Vapour pressure:	Not determined.		
Density:	1,5800 - 1,6300 g/cm3		
Vapour density	Not determined.		
Solubility			
water:	Not miscible or difficult to mix.		
Partition coefficient n-octanol/water (log value)	Not determined.		
Viscosity:			
Dynamic:	at 20 °C 70 - 100 Pa.s		
Solvent content:			
VOC (EC)	0,00 %		
9.2 Other information	No further relevant information available.		
Density and/or relative density			

Fluid

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available. · 10.2 Chemical stability Stable if used and stored according to specifications. 10.3 Possibility of hazardous reactions No dangerous reactions known. 10.4 Conditions to avoid Moisture and water. Protect from heat and direct sunlight. • 10.5 Incompatible materials: No further relevant information available. **Dangerous reactions**
 - No dangerous reactions known.

(Contd. on page 5)

Physical state

Revision: 31.07.2024

(Contd. of page 3)

according to 1907/2006/EC, Article 31



Revision: 31.07.2024

(Contd. of page 4)

Printing date: 07.08.2024

PRODUCT : STAUF SMP 950

- 10.6 Hazardous decomposition products: No dangerous decomposition products known.
- Additional information:

On contact with water (or humidity), formation of small amounts of methanol.

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity
- · LD/LC50 values relevant for classification:
- 2768-02-7 trimethoxyvinylsilane Oral, LD50: 7012 mg/kg (rat) Dermal, LD50: 3760 mg/kg (Rabbit) Inhalative, LC50/4h: 17,18 mg/l (ATE) Inhalative, LC50/4h: 16,8 mg/l (rat)
- Primary irritant effect:
 Skin corrosion/irritation
- No irritant effect known or expected. • Serious eye damage/irritation
- Direct contact to eyes can be irritating.
- Respiratory or skin sensitisation No sensitising effects known.
- 11.2 Information on other hazards
- Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity:
- 2768-02-7 trimethoxyvinylsilane
- EC50 48h: 168,7 mg/l (daphnie) LC50/ 96h: 191 mg/l (fish)
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.5 Results of PBT and vPvB assessment
- PBT:

Not applicable.

- vPvB:
- Not applicable.
- 12.7 Other adverse effects No further relevant information available.

GB -

(Contd. on page 6)



according to 1907/2006/EC, Article 31

Revision: 31.07.2024

Printing date: 07.08.2024

PRODUCT : **STAUF SMP 950** (Contd. of page 5) SECTION 13: Disposal considerations 13.1 Waste treatment methods Recommendation • Must not be disposed together with household garbage. Do not allow product to reach sewage system. Unhardened product residues are Special Waste. Disposal must be made according to official regulations. European waste catalogue 08 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS 08 04 wastes from MFSU of adhesives and sealants (including waterproofing products) 08 04 09 waste adhesives and sealants containing organic solvents or other dangerous substances · Uncleaned packaging: Recommendation: Disposal must be made according to official regulations. Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

 14.1 UN number or ID number 	
ADR	Void
IMDG	Void
ΙΑΤΑ	Void
 14.2 UN proper shipping name 	
ADR	Void
IMDG	Void
ΙΑΤΑ	Void
 14.3 Transport hazard class(es) ADR 	
Class	Void
IMDG	
Class	Void
ΙΑΤΑ	
Class	Void
 14.4 Packing group 	
ADR	Void
IMDG	Void
ΙΑΤΑ	Void
 14.5 Environmental hazards: Not applicable. 14.7 Maritime transport in bulk accord Not applicable. 	ling to IMO instruments

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- National regulations:

according to 1907/2006/EC, Article 31



Printing date: 07.08.2024

Revision: 31.07.2024

(Contd. of page 6)

PRODUCT : STAUF SMP 950
• Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
 Other regulations, limitations and prohibitive regulations Substances of very high concern (SVHC) according to REACH, Article 57

- None of the ingredients is listed. Substances of very high concern (SVHC) according to UK REACH None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information	
-------------------------------	--

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H226 Flammable liquid and vapour.
- H317 May cause an allergic skin reaction.
- H332 Harmful if inhaled.

· Department issuing MSDS:

- quality management
- Date of previous version:
- 26.05.2023
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association ICAO: International Civil Aviation Organisation GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative * Data compared to the previous version altered.